




**REISON**  
MEDICAL

Specialists in OR-Accessories



## ABOUT US

Reison produces and supplies a wide range of accessories for the operating room. We work exclusively with premium products that offer high customer value and meet every customer requirement. For us at Reison, safety, quality and usability are paramount. We constantly strive to protect and improve the highest quality in all our products. In every detail our products deliver what they promise.

## QUALITY

Quality is an integral part of Reison corporate principles. These principles guide our actions to deliver products and services that are safe, compatible, and preferred. Our company and our products meet the requirements for MDR and FDA. At Reison, our commitment is to never compromise the safety, conformity and quality of our products and services.

## HISTORY

Reison was founded in the 1960s as a manufacturer of operating tables and has since then created a proud history in patient care. Our 50 years of experience is reflected in a wide range of premium products that offer high customer value and meet all customer needs.

# OUR CORE VALUES

Our core values serves as a guiding principle to support our vision. At all times we strive to over perform them!



## SIMPLICITY

Simplicity is paramount in all our business relations. Our success is based on making life simple for our great partners, today and tomorrow.



## SERVICE AND SUPPORT EXCELLENCE

Working with us means, having someone to contact at all times. To always get swift and accurate answers. We understand the importance of fast and accurate deliveries.



## SWEDISH CRAFTMANSSHIP

For us, manufacturing is a passion. All our products are manufactured in Sweden. Safety, quality and usability are paramount in all products and everything we do.

# CONTENTS

SURGICAL ARMBOARDS	Page 4
ARM SURGERY TABLES	Page 10
SURGICAL CLAMPS	Page 13
INSTRUMENT TABLES	Page 17
STRAPS & FIXATION	Page 19
SUPPORTS	Page 23
MISCELLANEOUS ACCESSORIES	Page 36
TUBE HOLDERS	Page 43
DRY SYSTEM	Page 45

## SURGICAL ARMBOARDS

The surgical armboards from Reison gives you the support needed, during all kinds of operations. The surgical armboards is controlled with a simple one-handed grip, making them ergonomic, flexible and functional. Each joint unit is adjusted with a special method that makes Reison's armboards completely unique and the joint ball and the joint head a perfect fit together.





## Armboard with clamp, 10mm spacer, flat plate

Armboard with one hand balljoint release with a flat plate. Standard clamp (part no. 10019) with hook-on function, 10mm spacer, is included in the products. Note: The product can be ordered with 30mm spacer: Part no.10-380-M

Recommended cushions are:  
10-181, Flat medisoft comfort cushion  
10-182, U-shaped medisoft comfort cushion

Part no 10-380-M-10  
Length 610 mm  
Height 22 cm  
Width 18 cm  
Weight 4,3 kg  
Material Stainless steel, Aluminum

Fastening rail (EUR): 10-380-M  
Fastening rail (US): 10-380-M-US  
Fastening rail (UK): 10-380-M -UK



## Armboard excl. clamp, curved plate, short length with long post

Arm support designed to support the arms of a patient at different surgical procedures. The arm support is very easy to adjust in any desired position and is maneuvered by just one hand.

Recommended clamps: 10-304 or 10-305  
Recommended cushion: 10-382-K, U-shaped medisoft comfort cushion, short

Part no 10-380-KL  
Length 450 mm  
Height 50 cm  
Width 18 cm  
Weight 3,1 kg  
Material Stainless steel, Aluminum

## Armboard with clamp, 10mm spacer, curved

Armboard with one hand balljoint release with a curved plate. Standard clamp (part no. 10019) with hook-on function, 10mm spacer, is included.

Recommended cushions (not included):  
10-381, Flat, moulded polyurethane foam  
10-382, U-shaped, moulded polyurethane foam  
10-382-H, U-shaped medisoft comfort cushion  
10-382-HT, U-shaped medisoft comfort cushion, Extra high (70 mm)

Part no 10-387  
Length 605mm  
Height 22 cm  
Width 18 cm  
Weight 4,3 kg  
Material Stainless steel, Aluminum, Brass

Fastening rail (EUR): 10-387  
Fastening rail (US): 10-387-US  
Fastening rail (UK): 10-387-UK



## Armboard with clamp, 10mm spacer, curved plate

Unique Armboard with "one hand" balljoint release. A standard clamp with hook on function is included (part no. 10019). For "beach chair" position, we refer to our Armboard 10-387 with Reison rotatable clamp 10-307.

Clamp for US and UK accessory rail are available:  
 10-380 (Eur 25×10 mm)  
 10-380-US accessory rail  
 10-380-UK accessory rail

Recommended cushions (not included):  
 10-381, Flat, moulded polyurethane foam  
 10-382, U-shaped, moulded polyurethane foam  
 10-382-H, U-shaped medisoft comfort cushion  
 10-382-HT, U-shaped medisoft comfort cushion, Extra high (70 mm)

Part no 10-380  
 Length 605 mm  
 Height 140mm (bar for height adjustment)  
 Width 18 cm  
 Weight 4,3 kg  
 Material Stainless steel, Aluminum

Fastening rail (EUR): 10-380  
 Fastening rail (US): 10-380-US  
 Fastening rail (UK): 10-380-UK



## Armboard with clamp, 10mm spacer, curved plate

Armboard with a one hand balljoint release. This Armboard has a long post and hence it can be used for operating tables with an extra high mattress.

A standard clamp (10019), 10mm spacer, with "hook on" function is included. For "beach chair" position, we refer to Reison Armboard part no: 10-387.

Clamp for US and UK accessory rail are also available:  
 10-380 (Eur 25×10 mm)  
 10-380-US accessory rail  
 10-380-UK accessory rail

Recommended cushions (not included) are:  
 10-381, Flat, moulded polyurethane foam  
 10-382, U-shaped, moulded polyurethane foam  
 10-382-H, U-shaped medisoft comfort cushion

10-382-HT, U-shaped medisoft comfort cushion, Extra high (70 mm)

Part no 10-380-L  
 Length 605mm  
 Height 40cm  
 Width 18 cm  
 Weight 4,7 kg  
 Material Stainless steel, Aluminum

Fastening rail (EUR): 10-380-L  
 Fastening rail (US): 10-380-L-US  
 Fastening rail (UK): 10-380-L-UK



**Armboard with clamp, 10mm spacer, curved plate, radiolucent**

This armboard is designed for use with a C-arm image intensifier. It has a radio translucent top, making it perfect for e.g fluoroscopy of the patient´s arm.

It is also useable as a traditional arm board to put a drip needle into the arm of the patient. A standard clamp is included (see picture)

Recommended cushions (option):  
 10-381 Flat, moulded polyurethane foam  
 10-382 U-shaped, moulded polyurethane foam  
 10-382-H U-shaped medisoft comfort cushion  
 10-382-HT U-shaped medisoft comfort cushion, Extra high (70 mm)

Part no 10-385  
 Length 605 mm  
 Height 32cm  
 Width 17 cm  
 Weight 2,2 kg  
 Material Stainless steel, Aluminum, Polycarbonate

Fastening rail (EUR): 10-385  
 Fastening rail (US): 10-385-US  
 Fastening rail (UK): 10-385-UK



**Armboard with clamp, 10mm spacer, curved plate, short length**

This Armboard is similar to part.no 10-380 but this is a short version. Standard clamp with "hook on" function is included. Length 455 mm. Available with extended post for seated position (Armrest). Clamp for US and UK are available.

Recommended cushions (option):  
 10-382-K U-shaped medisoft comfort cushion, short

The Armboard can be used as "Armsupport" in seated position. Extra long post (+100 mm) is available on request.

Part no 10-380-K  
 Length 510mm  
 Height 22 cm  
 Width 18 cm  
 Weight 3,8 kg  
 Material Stainless steel, Aluminum

Fastening rail (EUR): 10-380-K  
 Fastening rail (US): 10-380-K-US  
 Fastening rail (UK): 10-380-UK-K



## Comfort Cushion for Armboard high

Comfort (viscolastic) cushion in black (antistatic). Velcro fastening. Extra padding. Thickness 8 cm. Suitable for: 10-380, 10-380-SX, 10-380-L and 10-387

Part no 10-382-HT  
 Length 61 cm  
 Height 8 cm  
 Width 18 cm  
 Weight 0,5 kg  
 Material Antistatic fabric, Foam, Slow recovery



## Comfort Cushion for Armboard medisoft

Comfort (viscolastic) cushion in black (antistatic). Velcro fastening. Thickness 4 cm

Suitable for 10-380, 10-385 and 10-387.

Part no 10-382-H  
 Length 61 cm  
 Height 4,1 cm  
 Width 16 cm  
 Weight 0,3 kg  
 Material Antistatic fabric, Foam, Slow recovery



## Comfort Cushion for Armboard medisoft short

High comfort cushion (viscolastic) for 10-380-K, concave. ColReison: black (antistatic).

Part no 10-382-K  
 Length 45 cm  
 Height 6,5 cm  
 Width 16 cm  
 Weight 0,2 kg  
 Material Antistatic fabric, Foam, Slow recovery



## Comfort Cushion Medisoft Flat

High comfort (viscolastic) cushion with flat bottom and flat surface. With Velcro fastening. For Reison Armboard with a flat plate. Thickness 4,5 cm

Part no 10-181  
 Length 61 cm  
 Height 4,5 cm  
 Width 18 cm  
 Weight 0,32 kg  
 Material Antistatic fabric, Foam, Slow recovery





### **Comfort Cushion Medisoft U-shaped**

High comfort (viscolastic) cushion with flat bottom and curved surface. Black (antistatic), with Velcro fastening.

For Reison Armboard with a flat plate.  
Thickness 4 / 6,5 cm

Part no 10-182  
Length 61 cm  
Height 6,5 cm  
Width 18 cm  
Weight 0,33 kg  
Material Antistatic fabric, Foam, Slow recovery



### **Cushion for Armboard Flat**

Injection molded Cushion with flat surface.

Suitable for 10-380, 10-385 and 10-387.

Part no 10-381  
Length 61 cm  
Height 3,5 cm  
Width 16,5 cm  
Weight 0,7 kg  
Material Polyurethane Foam



### **Cushion for Armboard u-shaped**

Injection molded Cushion, curved surface, for 10-380, 10-385 and 10-387.

Part no 10-382  
Length 61 cm  
Height 2,5 cm  
Width 18 cm  
Weight 0,8 kg  
Material Polyurethane Foam



### **Strap for Armboard**

Strap for armboard 10-380 and 10-387. Velcro fastening. Standard length 580mm , width 50mm.

Available in length 700mm, item nr 10-383-L.

Part no 10-383  
Length 58 cm  
Height 5 cm  
Weight 0,034 kg  
Material Polyester

## ARM SURGERY TABLES

Reison offers a range of radiolucent arm surgery tables, in bakelite or carbon fiber. They are easy to apply on to the surgery table thanks to the hook on clamp. The arm surgery tables are also light in weight, easy to handle, clean and disinfect.





**Arm & Hand Surgery Table**

Arm and hand surgery table with twin clamps (hook on), height adjustable. Supporting leg included for (left or right mounting) depending on location of Surgeon or C-arm/ microscope. Cushion included.

Clamps for US & UK accessory rail available: 10-390-US, 10-390-UK.

Part no 10-390  
 Length 81,5cm  
 Height 70-115cm  
 Width 52cm  
 Weight 13kg  
 Material Stainless steel, Aluminum, Bachelit, Glass fibre

Fastening rail (EUR): 10-390  
 Fastening rail (US): 10-390-US  
 Fastening rail (UK): 10-390-UK



**Arm & Hand Surgery Table short**

Arm and hand surgery table without supporting leg.

Surface dimensions: 340x600 mm.  
 Clamps and cushion included.

Clamps for US & UK accessory rail available.

Part no 10-390-K  
 Length 62,5cm  
 Height 70-115cm  
 Width 34cm  
 Weight 6,7 kg  
 Material Stainless steel, Aluminum, Bachelit, Glass fibre

Fastening rail (EUR): 10-390-K  
 Fastening rail (US): 10-390-K-US  
 Fastening rail (UK): 10-390-UK-K



**Arm & Hand Surgery Table Carbon Fiber short**

Lightweight Arm & Handsurgery table in Carbon Fibre with twin clamps (hook on). The plate also has excellent properties for fluoroscopy examination and due to the stiff plat, the table can be used without supporting leg. Cushion included.

Part no 10-396-K  
 Length 62,5 cm  
 Height 22cm  
 Width 34 cm  
 Weight 4,2 kg  
 Material Stainless steel, Aluminum, Carbon fiber

Fastening rail (EUR): 10-396-K  
 Fastening rail (US): 10-396-K-US  
 Fastening rail (UK): 10-396-UK-K



**Mattress for operating table**

This mattress is made for arm & hand surgery operating table (10-390 and 10-396). It consists of soft foam and is covered with non flammable black antistatic fabric. Reison can offer two different thicknesses.

Soft Mattress 30 mm  
 Part no 10-397

Soft Mattress 80 mm  
 Part no: 10-397-80

## ARM SURGERY TABLES



### Arm & Hand Surgery Table Carbon Fiber

Lightweight Arm & Handsurgery table in Carbon Fibre with twin clamps (hook on). One glassfibre supporting leg included for left or right mounting depending of location of surgeon or C-arm/microscope. Cushion included.

Many users are working without the supporting leg attached. Available with US and UK clamps: 10-396-US, 10-396-UK Antistatic cushion included.

Part no 10-396  
Length 820mm  
Height 720-1150 mm  
Width 525 mm  
Weight 5,6kg  
Material Stainless steel, Aluminum, Carbon fiber, Glass fibre

Fastening rail (EUR): 10-396  
Fastening rail (US): 10-396-US  
Fastening rail (UK): 10-396-UK



### Arm & Hand Surgery Table Carbon Fiber, extra long

This Arm & Hand surgery table is designed to fit several different operating tables. The table is made from carbon fiber laminate providing excellent x-ray fluoroscopy facilities.

The thin plate with cut-outs enables very good access for the surgeon. On the rear end there is an accessory rail, for infusion stand and anesthetic frame. Thickness of plate: 1,3 cm

Part no 10-398  
Length 137 cm  
Height 14 cm  
Width 52 cm  
Weight 5,1 kg  
Material Stainless steel, Aluminum, Carbon fiber



# SURGICAL CLAMPS

Reison offers a wide range of surgical clamps, from the simplest screw clamps to advanced radial clamps. Our surgical clamps offers easy and smooth mounting and are all made to meet the European, US , UK and Australian rail standards.





## Accessory Clamp

Standard 'hook-on' type clamp used for different Supports. Also available for UK and US siderail (10-301-UK, 10-301-US).

Part no 10-301  
 Length 90mm  
 Height 60mm  
 Width 40mm  
 Weight 0,3kg  
 Material Aluminium anodized

Fastening rail (EUR): 10-301  
 Fastening rail (US): 10-301-US  
 Fastening rail (UK): 10-301-UK



## Accessory clamp, non rotatable

A fixed non-rotatable clamp for the EUR standard rail 25x10. Accessories with a post diameter from 16-20 mm can be held in this clamp.

Also available is a variant with flat pushing plunger for accessories with one or two flat surfaces on the post. The Clamp is called 10-302-P.

Part no 10-302  
 Length 11,5 cm  
 Weight 0,73 kg  
 Diameter: 5,5 cm  
 Material Stainless steel, Aluminum

Fastening rail (EUR): 10-302




## Clamp for Armboard without spacer

Spare Clamp for Reison Armboards. Compatible with old Reison Armboards as well.

Part no 10018  
 Length 12,5 cm  
 Height 16 cm  
 Width 6,5 cm  
 Weight 0,6 kg  
 Material Stainless steel, Aluminum

Fastening rail (EUR): 10018  
 Fastening rail (US): 10018-US  
 Fastening rail (UK): 10018-UK



## Clamp for Armboard, 10mm spacer

Spare clamp for Reison Armboards (with 10 mm spacer). Compatible with old Reison Armboards as well.

Part no 10019  
 Length 14,5 cm  
 Height 16 cm  
 Width: 12,5 cm  
 Weight 0,6 kg  
 Material Stainless steel, Aluminum

Fastening rail (EUR): 10019  
 Fastening rail (US): 10019-US  
 Fastening rail (UK): 10019-UK



## Clamp for Armboard, 30mm spacer

Spare clamp with 30 mm spacer.

Compatible with older Reison armboards as well.

Part no 10019-S30  
 Length 14,5cm  
 Height 16cm  
 Width 6,5cm  
 Weight 0,65 kg  
 Material Stainless steel, Aluminum

Fastening rail (EUR): 10019-S30



## Radial Clamp

Rotatable clamp for post diameter 16-20 mm.

Hook-on type for rail 25×10 mm (European standard).

For US/UK accessory side rails, see 10-308.

Part no 10-304  
 Length 12 cm  
 Height 16 cm  
 Width 5,5 cm  
 Weight 0,7 kg  
 Material Antistatic fabric, Foam, Slow recovery



## Radial clamp hook-on

Reison Radial Clamp, hook-on type (25×10 mm European standard) For rod 16-20 mm.

Available for US siderail (10-305-US) and UK siderail (10-305-UK) as well.

Also available is a variant with flat pushing plunger for accessories with one or two flat surfaces on the post. The item is called 10-305-P.

Part no 10-305  
 Length 6 cm  
 Height 11,5 cm  
 Width 4,5 cm  
 Weight 0,8 kg  
 Material Stainless steel, Aluminum, Brass



## Radial clamp mix

Reison's popular radial clamp 10-307 ! (included in 10-387, 10-400, 10-310, 10-313 config.) The clamp can also be purchased as a separate item.

Hook on type with separate locking lever, rotatable! For post diameter 16-20 mm. The Clamp shall be used with lighter and shorter items that leans out of the table. ( Do not use with leg holders)

Available for US and UK siderail: (10-307-US) (10-307-UK)

Part no 10-307  
 Length 125mm  
 Height 160mm  
 Width 65mm  
 Weight 1,1 kg  
 Material Stainless steel, Aluminum, Brass

Fastening rail (EUR): 10-307  
 Fastening rail (US): 10-307-US  
 Fastening rail (UK): 10-307-UK



## Radial Clamp Universal

A universal rotatable clamp for 16–20 mm post.

Fits EU, US and UK accessory rail. 10-308/48 and 10-308-16

The UNI clamp 10-308 is now available with 48 cogs (std. 36 cogs)  
10-308-16 Universal clamp for items with a 16mm post.

Part no	10-308
Length	12cm
Height	16 cm
Width	5,5 cm
Weight	0,7 kg
Material	Stainless steel, Aluminum, Brass





# INSTRUMENT TABLES

The instrument tables from Reison are made to be adapted to the accessory rail of an operating table by means of a clamp. If you use a rotating clamp, the table plate always can be set horizontal if the operating table is tilted in trendelenburg or antitrendelenburg position.





## Instrument Table

Tray dimensions: 500×400 mm.

Post diameter: 16 mm

Recommended Clamp:  
10-301

Part no 10-060  
Length 50 cm  
Height 47 cm  
Width 40 cm  
Weight 2,9 kg  
Material Stainless steel



## Prolapse table

The prolapse table 10-062 is intended for putting instruments at surgical treatment of rectal and anal prolapse. Also useful at other rectal and anal surgical treatment.

Part no: 10-062  
Length: 545 mm  
Width: 250 mm  
Height: 100 mm  
Weight: 3,1kg  
Safe working load 10kg



## Instrument Table rotatable

The table should be adapted to the operating table by means of a rotatable clamp. The plate is mounted to a link with two pivots making it turnable in different ways.

Thanks to the rotating clamp fitting, the table plate can always be set horizontal, if the operating table is tilted Trendelenburg or Antitrendelenburg position. If the operating table is side tilted it is not possible to set it horizontal.

Depth: 54 cm, Postdiameter 20 mm  
Safe working load: 10 kg evenly applied

Part no 10-061  
Length 54 cm  
Height 73 cm  
Width 40 cm  
Weight 4,4 kg  
Material Stainless steel

# STRAPS AND FIXATION

Our straps are designed for both surgery tables and split leg surgery tables. They are designed to keep the legs or the body of a patient fixed to the operating table during surgical procedures. The range includes plain straps and soft padded for high patient comfort.





## Leg & Body Strap wide with hook

Leg Strap with "hook" and velcro locking. The leg strap 10-464 is designed to keep the legs or the body of a patient fixed to the operating table during surgical procedures. It is soft padded for high patient comfort.

Part no 10-464  
 Length 167 cm  
 Width 12,5 cm  
 Weight 0,3kg  
 Material Terylene. Stainless steel



## Leg & Body Strap wide with velcro

Leg & Body strap, velcro fastening.

The strap is made to hold a patient safely on the operating table during a lot of different surgical treatments. It is softly padded for best comfort to the patient.

Part no 10-464-M  
 Length 241 cm  
 Width 12,5 cm  
 Weight 0,3 kg  
 Material Terylene




## Leg Strap with clamps

Leg & Body strap with "hook on" clamps and easy locking.

Strap length 170cm  
 Upholstered length 54cm  
 Upholstered width 12cm  
 Clamp width 6cm

Part no 10-373  
 Length 170cm  
 Weight 1 kg  
 Material Polyester, Manchette fabric, aluminum, Stainless steel



## Leg strap, pair

Leg Strap/pair for split leg section. Adjustable strap to meet different mattress thicknesses! Velcro fastening.

Length of the "loop" strap = 685 mm  
 NEW 10-468-L

The 10-468 is available in a longer strap for thicker legs, item 10-468-L.

Length of the "loop" strap = 800 mm

Part no 10-468  
 Length 102cm  
 Height 9cm  
 Width: 12,5 cm  
 Weight 0,8kg  
 Material Polyester



## Leg/Body Strap 2 piece

Two piece Leg Strap, velcro fastening, designed to keep the legs of a patient fixed to the operating table during various surgical procedures.

Length: 850 mm:s (velcro part = 450 mm)  
Width: 85 mm.

Part no 10-466  
Length 150 cm  
Height 9 cm  
Weight 0,2 kg  
Material Polyester, Stainless steel



## Leg/Body Strap with velcro, 210cm

Leg and body strap with velcro fastening. The strap is designed to keep the patient fixed to the operating table during various surgical procedures.

It can be used as a supplement to other kind of supports if the operating table is tilted sideways.

Dimensions: 2100×85 mm.

Part no 10-465  
Length 210cm  
Width 8,5 cm  
Weight 0,22 kg  
Material Polyester



## Legstrap with velcro 110cm padded

Comfort Leg strap with Velcro fastening.

The leg strap is designed to be used with split leg section when the leg of a patient shall be fixed to the leg section. It is softly padded for high comfort

The strap is also available in a longer version. Item nr 10465 See under supports and item 10-449.

Part no 10-467  
Length 110 cm  
Height 9 cm  
Weight 0,1 kg  
Material Polyester




## Wristlet with Strap

Wristlet with strap with Reison "hook on" clamp for easy mounting. Sold in pcs.

The wrist clamp is made for fixation of a under arm and hand of a patient during surgical treatment on an operating table.

It is also useable to keep the arm of the patient steady when a drip needle is put into the arm.

Part no 10-370  
Length 6 cm  
Height 7 cm  
Width 5,5 cm  
Weight 0,4 kg  
Material Polyester, Aluminum, Stainless steel



### Strap for Armboard

Strap for armboard 10-380 and 10-387.  
Velcro fastening.  
Standard length 580mm , width 50mm


Now available in length 700mm, item nr 10-383-L.


Part no	10-10-383
Length	58 cm
Width	5 cm
Weight	0,034 kg
Material	Polyester



# SUPPORTS

Reison offers a number of supports from head supports to arm and leg supports for different needs. The supports provides excellent fixation and maximum patient comfort.





## Arm & Leg Guard, curved shape

The arm and leg guard is intended to give support and prevent the arm or leg of the patient from falling down outside the operating table.

For the patient the arm and leg guard is more comfortable than any wrist clamp and as an option there is a soft upholstered pad available. The product shall be pushed in under the mattress of the operating table, the weight of the patient will hold it in place.

Recommended Option: 10-553 Cover for Arm & Leg Guard in black PN material (see image #3).

Part no 10-552  
 Length 565 mm  
 Height 223 mm  
 Width 223 mm  
 Weight 1,4 kg  
 Material PETG



## Cover for Arm & Leg Guard

The Arm & Leg Guard cover is intended to be used together with the arm holder with curved shape part no. 10-552. The product serves to provide better comfort to the patient during long procedures. The pocket of the cover shall be pulled over the arm holder and be turned outwards to get the upholstery towards the patient.

Part no 10-553  
 Length 57,5 cm  
 Height 1,2 cm  
 Width 20 cm  
 Weight 0,18 kg  
 Material Antistatic fabric, Foam, Slow recovery



## Arm & Leg Guard, straight shape

The arm and leg guard is intended to give support and prevent the arm or leg of the patient from falling down outside the operating table.

For the patient the arm and leg guard is more comfortable than any wrist clamp and as an option there is a soft upholstered pad available. The product shall be pushed in under the mattress of the operating table, the weight of the patient will hold it in place.

Recommended option: 10-553, cover for Arm & Leg guard, straight shape.

Part no 10-554  
 Length 40 cm  
 Height 21 cm  
 Width 20 cm  
 Weight 1,25 kg  
 Material PETG




## Cover for Arm & Leg Guard, straight shape

Cover intended to be used together with arm holder 10-554 to get better comfort to the patient during long time operations.

The pocket of the cover shall be pulled over the arm holder and be turned outwards to get the upholstery towards the patient.

Part no 10-555  
 Length 41 cm  
 Height 1,2 cm  
 Width 20 cm  
 Weight 0,15 kg  
 Material Antistatic fabric, Foam, Slow recovery





## Arm and Leg Guard Narrow

Our arm and leg guard family has been supplemented with a more narrow version. This version is only 30 cm wide and is suitable for modular tables with narrow sections.

The padded cover for this version has article number: 10-557

Part no 10-556  
 Length 30 cm  
 Height 23 cm  
 Width 23 cm  
 Weight 0,8 kg  
 Material PETG



## Circular Head Cushion

Cushion for head fixation.  
 Antistatic.

Part no 10-333  
 Height 5 cm  
 Weight 0,3 kg  
 Material Polyurethane Foam



## Circular Head Cushion for Children

Cushion for head fixation (for Children)

Antistatic.

Part no 10-333-PED  
 Height 5 cm  
 Weight 0,13 kg  
 Material Polyurethane Foam  
 Diameter outside 14,8, inside 7,7



## Flexible Head support

Multi adjustable head support for ENT-plastic and eye surgery. The head support can be set between 110° below horizontal and 50° over horizontal. It has a unique locking system, that locks both pivots only by means of one lever.

Standard fittings: Two pins diam. 15 mm C-C 106 mm.  
 Other fittings: (Mayfield 171.5 mm C-C), Maquet etc.  
 Available on request.

Part no 10-230-F  
 Length 42 cm  
 Height 9-22 cm  
 Width 29 cm  
 Weight 2,75 kg  
 Material Stainless steel, Polyurethane Foam

Fastening rail (EUR): 10-230,10-230-B,10-230-T



## Head Support double link

The Head support is made for all kind of ENT surgery. It can be set in any desired angle below and over horizontal. It has double links and a unique locking system, that locks both pivots only by means of one lever.

It has a holder that fits a lot of operating tables and with adapters it fits most operating tables in the market. The head support cushion has a bowl shaped cavity to keep the head of the patient in a steady position during the treatment.

Part no 10-230-Mdbl  
 Length 58cm  
 Height 9,5-39cm  
 Width 29cm  
 Weight 5,5kg  
 Material Stainless steel,Aluminum, Antistatic fabric, Foam, Slow recovery



## Head Support Children

The Head support is made for all kind of ENT surgery on children. It can be set between 110° below horizontal and 50° over horizontal.

It has a unique locking system, which locks both pivots only by means of one lever. The holder fits a lot of operating tables and with adapters it fits most operating tables in the market. The head support cushion has a bowl shaped cavity to keep the head of the patient in a steady position during the treatment.

Part no 10-230-PED  
 Length 41 cm  
 Height 9,22 cm  
 Width 29 cm  
 Weight 2,75 kg  
 Material Stainless steel,Aluminum, Antistatic fabric, Foam, Slow recovery



## Head Support double joint

An universal head rest. The angle movement of the head plate is supported by a gas spring, which is released by a wide U-shaped release handle.

Angle upwards 20°  
 Angle downwards 32°  
 Cushion is included (part no. 11288).

Part no 10-234  
 Length 59cm  
 Height 8,5cm  
 Width 32,5cm  
 Weight 4,5kg  
 Material Stainless steel,Aluminum, Antistatic fabric, Foam, Slow recovery

Fastening rail (EUR): 10-234,10-234-T



## Head Support Bronchoscopy

The head rest is intended to be used at examination and treatment of the bronchus with use of a bronchoscope. And also at examination of esophagus, cardia and stomach.

It can be raised or lowered by means of a wheel on the right side of the gear box and the head plate can be angled upwards and downwards by means of a wheel at the rear end of the head plate. The head rest can also be angled sideways.

Max. angle downwards 50°  
 Max. angle upwards 20°  
 SWL 15kg

Part no 10-330  
 Length 51 cm  
 Height 41,5 cm  
 Width 22 cm  
 Weight 5,5kg  
 Material Stainless steel,Aluminum, Antistatic fabric, Foam, Slow recovery



## Neuro Head Support

The head support is designed for neurosurgery treatment. It has several adjustment possibilities, making it possible to put the head of the patient in any desired position.

Its standard fitting is made to fit the most common operating tables and with "tailor made" adaptor it fits any operating table.

Part no	10-335
Length	43 cm
Height	70 cm
Width	20 cm
Weight	3,5 kg
Material	Stainless steel, Steel, Fabric



## Head rest

The Head support is made for all kind of ENT surgery. The head support can be set in any desired angel below and over horizontal.

It has double links and a unique locking system, which locks both pivots only by means of one lever.

Cushion is included.

Part no	10-237
Length	57cm
Height	9-35cm
Width	2,5cm
Weight	4,5kg
Material	Stainless steel,Aluminum, Antistatic fabric, Foam, Slow recovery

Fastening rail (EUR): 10-237,-10-237-T



## Head Support prone

The Head support is made for all kind of surgery where the patient is lying face down. It can be set between 110° below horizontal and 45° over horizontal. It has a unique locking system, that locks both pivots only by means of one lever.

A lot of cushions will fit on the head plate. The head plate can also be raised horizontally. As an option the head rest can be used together with a non-slide mat, preventing the cushion from sliding

Adjustment angel downwards 110°  
Adjustment angel upwards 45°

Part no	10-231
Length	49,5cm
Height	3,5-17cm
Width	26cm
Weight	3,7kg
Material	Stainless steel,Aluminum, Antistatic fabric, Foam, Slow recovery

Fastening rail (EUR): 10-231, 10-231-T



## Angular Accessory Rail

Angular accessory rail (25×10 mm) with "hook on" clamp included (25×10 mm). This angular accessory rail is made to extend the normal rail on an operating table. Also, when a accessory have to be attached laterally or slanted out from the op.table, the angular accessory rail fits in.

It can be adjusted in height and the rail itself can be rotated all around and locks every 15°. See application (with Reison short armtable 10-380-K)! Available with UK clamp&rail : 10-359-UK

Part no	10-359
Height	33 cm
Width	30 cm
Weight	2,2kg
Material	Stainless steel, Aluminum

Fastening rail (EUR): 10-359  
Fastening rail (UK): 10-359-UK



## Weinberger Hand Fixation

The Weinberger hand fixation is intended to be used to fixate the hand of the patient when the fore arm has to be stretched out by means of a traction device.

It can also be used with Reison Humerus set 11443+11438.

Part no 10-393  
 Length 22 cm  
 Width 19 cm  
 Weight 0,7 kg  
 Material Stainless steel, PC High viscosity



## Lateral Arm support

This arm support is intended to be a support for the upper arm of a side lying patient during surgical treatment. The arm support can be adjusted in several different positions for best possible comfort to the patient.

The support can be adjusted in height, it can be turned around horizontally and it can be slanted vertically 130° in both directions. Cushion and straps included.

Recommended clamps: 10-304 alt. 10-305

Part no 10-389  
 Length 46 cm  
 Height 63 cm  
 Width 16 cm  
 Weight 3 kg  
 Material Stainless steel, Steel, Brass, Fabric



## Humerus Set

The humerus set can position the upper arm of a side lying patient and get a broken forearm in correct position for plastering. It should be used with a hand traction device which can hold the fingers in a fixed position. The arm support and the traction device shall be connected to the operating table by means of rotatable clamps.

Recommended clamps: 10-304 or 10-308  
 Adjustment rough: 20 cm  
 Adjustment smooth: 20 cm  
 Adjustment angel hand traction: 40°  
 Rotation hand traction: 360°

Part no 10-399  
 Length 15 cm  
 Height 82 cm  
 Width 68 cm  
 Weight 5,9 kg  
 Material Stainless steel, Polyurethane Foam



## Elbow Support

The elbow support is intended to be a support for the elbows of the surgeon at such operations where a support is needed. To be mounted left or right on the side rail. Height adjustable with "hook on" clamp.

Available with US rail clamp: 10-366-US  
 UK rail clamp: 10-366-UK

Part no 10-366  
 Length 64cm  
 Height 30 cm  
 Width 20 cm  
 Weight 3,5 kg  
 Material Stainless steel, Aluminum, Antistatic fabric, Foam, Slow recovery

Fastening rail (EUR): 10-366  
 Fastening rail (US): 10-366-US  
 Fastening rail (UK): 10-366-UK



## Tibia Support

The Tibia Support is designed to support the knee or the foot of a patient during knee or leg surgery.

### Cushion

Diameter 135 mm  
Length 270 mm

Post: Total length 770 mm  
Recommended clamps: 10-304-P or 10-305-P

Part no 10-367  
Height 82 cm  
Width 30 cm  
Weight 2,45 kg  
Material Stainless steel, Steel, Polyurethane Foam



## Tibia Support Short

The Tibia Support is designed to support the knee or the foot of a patient during knee or leg surgery.

### Cushion

Diameter 135 mm  
Length 270 mm

Post: Total length 400 mm

Recommended clamps: 10-304 or 10-305-P

Part no 10-367-K  
Height 40 cm  
Width 30 cm  
Weight 2,4 kg  
Material Stainless steel, Steel, Polyurethane Foam



## Thigh Holder

The thigh support is designed for fixation and support of the upper leg of a patient at an operating table.

The support has an adjustable pad for different patient positions. Sold in pcs.

Maximum height 550 mm  
Recommended clamp: 10-301

Part no 10-448  
Height 550 mm  
Width 375 mm  
Weight 1,8 kg  
Material Stainless steel, Steel, Antistatic fabric, Foam



## Leg Holders with Ball Joint

Leg holders with integral foam cushions. 20 mm post diameter.

Post diam. 18 available (10-450-18)  
Recommended Clamps: 10-304 or 10-305.  
Option: Strap 10-452

Part no 10-450  
Length 350mm  
Height 760mm  
Width 195mm  
Weight 4 kg  
Material Stainless steel, Steel, Polyurethane Foam



## Leg Holders with Ball Joint (18 mm)

Leg holders with integral foam cushions. 18 mm post diameter.

Recommended Clamps: 10-304 or 10-305.

Option: Strap (10-452)

Part no 10-450-18  
 Length 350 mm  
 Height 760 mm  
 Width 195 mm  
 Weight 4 kg  
 Material Stainless steel, Steel, Polyurethane Foam



## Leg Holders XL

For Bariatric surgery. Medisoft filling for highest comfort. Sold in pairs.

Rod diameter 20 mm.

Available with rod diameter 18 mm (10-449-18).

Cushion measure : 300x300x140mm Strap measure : 1300x85mm

Suitable clamps

Recommended clamps: 10-304 or 10-305

Part no 10-449  
 Length 350 mm  
 Height 800 mm  
 Width 280 mm  
 Weight 4,2 kg  
 Material Stainless steel, Steel, Polyurethane Foam



## Knee Arthroscopy Holder

Designed to keep a leg in a fixed position during surgery in the knee area. 3x Cushions included. Crank operated adjustment, height and angle can be adjusted.

Recommended clamps:  
 10-304 or 10-305 .

Part no 10-353  
 Length 46,5cm  
 Height 26,5cm  
 Width 13cm  
 Weight 4,3 kg  
 Material Stainless steel, Steel, Brass, Fabric

Fastening rail (EUR): 10-353  
 Fastening rail (US): 10-353-US



## Knee Arthroscopy Holder XL

The Knee holder is designed to keep a leg in a fixed position during surgery in the knee area. 10-353-XL is recommended for patients with a solid leg or during surgery that requires a cuff to keep the blood from flowing.

3x Cushions included. Crank operated adjustment, height and angle can be adjusted.

Height 34 cm  
 Recommended clamps: 10-304 alt.10-305

Part no 10-353 XL  
 Length 46,5cm  
 Height 34cm  
 Width 13cm  
 Weight 4,4kg  
 Material Stainless steel, Steel, Brass, Fabric




## Padded Strap

Comfort Strap for 10-450 Leg Holders, velcro fastening.

Soft padded for high comfort to the patient.

Sold in pcs.

Part no 10-452  
 Length 87 cm  
 Width 8,5 cm  
 Weight 0,08 kg  
 Material Antistatic fabric, Foam, Slow recovery



## Foot Support

The foot support is intended to be used on split leg sections as well as on one piece leg section. The supports can be adjusted along the operating table to support patients of different length.

They can also be adjusted in height to fit different thicknesses of operating table pads and there is also a possibility to adjust the foot plates across the operating table, depending on how the patient shall be positioned.

Part no 10-296  
 Length 33cm  
 Height 32-44cm  
 Width 29cm  
 Weight 6kg  
 Material Stainless steel, Polyurethane Foam



## Lateral Support wide

2 models of cushions included: 1 plane and 1 multifunctional curved integral foam cushion, 4 different positions to meet the patients curvature(see picture).

Length of post: 350 mm.  
 Plate 165×165 mm.

Recommended Clamp: 10-301

Part no 10-565  
 Length 23 cm  
 Height 53 cm  
 Width 20,5cm  
 Weight 2,5 kg  
 Material Stainless steel, Steel, Polyurethane Foam



## Rotatable Lateral support wide

Adjustable with 2 models of cushions included: 1 plane and 1 multifunctional curved cushion (see picture). Curved cushion can be turned 4×90 degrees to meet patients curvature.

Length of post = 350 mm  
 Plate = 165×165 mm.

Recommended Clamp: 10-301

Part no 10-561  
 Length 20,5cm  
 Height 56 cm  
 Width 34 cm  
 Weight 3 kg  
 Material Stainless steel, Steel, Polyurethane Foam



## Lateral Support curved short

Lateral support with curved cushion 180x85mm, rotatable. The support can be rotated at the post and also the pad can be rotated.

Length of post = 350 mm  
Recommended clamp: 10-301

Part no 10-360  
Height 44 cm  
Width 33 cm  
Weight 2,1 kg  
Material Stainless steel, Steel, Fabric



## Rotatable Lateral support narrow

Adjustable with 2 models of cushions included: 1 plane and 1 multifunctional curved cushion (see picture curved).

Length of post = 350 mm  
Plate = 175x70 mm  
Recommended Clamp: 10-301

Can be used as Shoulder Supports (2 pcs needed)!

Part no 10-560  
Length 32 cm  
Height 57 cm  
Width 8 cm  
Weight 2,2 kg  
Material Stainless steel, Steel, Polyurethane Foam



## Lateral Support curved wide

Lateral support, curved cushion 200x200 mm. The support can be adjusted in height, longitudinal and lateral, depending on how the patient shall be positioned.

Length of post: 350 mm.  
Recommended clamp: 10-301

Part no 10-365  
Length 23cm  
Height 4,5 cm  
Width 22 cm  
Weight 2,2kg  
Material Stainless steel, Steel, Fabric



## Lateral Support narrow

Adjustable with 2 models of cushions included: 1 plane and 1 multifunctional curved cushion (see picture curved).

Length of post: 350 mm.  
Plate 175x70 mm.

Recommended Clamp: 10-301

Part no 10-566  
Length 8,5 cm  
Height 53 cm  
Width 2,5 cm  
Weight 1,8 kg  
Material Stainless steel, Steel, Polyurethane Foam





## Pubis Support

The pubis support is intended to be used when the patient is in a side-lying position. It can be adjusted in height and across the operating table.

The supporting pad can be set in different angles by means of two gear rim to get the supporting pad at desired place. The pad is molded in soft polyurethane.

Recommended clamps; 10-304 alt. 10-305

Part no 10-567  
 Length 32cm  
 Height 45,5 cm  
 Width 10,5 cm  
 Weight 2,2 kg  
 Material Stainless steel, Steel, Polyurethane Foam



## Shoulder Supports

Shoulder supports, pair. The shoulder supports are made to support the shoulders of a patient when the operating table is put into Trendelenburg (head down) position.

Two types of cushions included (see pictures), concave and plane. The concave one can easily be turned 180°, depending on how the patient shall be supported

Recommended clamps: 10-301

Part no 10-350  
 Height 38,5 cm  
 Width 23 cm  
 Weight 3,8 kg  
 Material Stainless steel, Steel, Polyurethane Foam



## Supporting Cushion Horizontal

The horizontal support can be adjusted to various angles by means of a gear device.

Diameter: 135 mm  
 Length: 270 mm  
 Length of post: 350 mm

Recommended clamp: 10-301

Part no 10-369  
 Length 45 cm  
 Height 50 cm  
 Width 2,5 cm  
 Weight 3,2 kg  
 Material Stainless steel, Steel, Polyurethane Foam



## Supporting Cushion Vertical

Vertical (upright) support. The lateral support can also be adjusted to various angles by means of a gear device.

Diameter: 135 mm  
 Length: 270 mm  
 Length of post: 350 mm  
 Recommended clamp: 10-301

Part no 10-368  
 Length 25 cm  
 Height 50 cm  
 Width 13,5 cm  
 Weight 1,9 kg  
 Material Stainless steel, Steel, Polyurethane Foam



## Safety Side Rails square, pairs

The Safety side rails are designed for supporting a patient on an operating/treatment table or trolley. They can easily be folded down and when folded to upright position they lock automatically.

Length: 616 mm  
Height (without the clamp part): 363 mm.

Sold in pairs. Available with Euro & UK clamp as well.

Option: Safety Cover, 10-530-H (sold in pcs)

Part no 10-530  
Length 630 mm  
Height 370 mm  
Width 40 mm  
Weight 2,8 kg  
Material Stainless steel, Aluminum



## Supporting Frame

The supporting frame is intended to be used together with surgical retractors to keep an operating cavity open for better access to the surgeon.

Clamp 10-304 included.

It has several positioning possibilities, which make the surgical retractors work the best way.

Part no 10-410  
Length 60cm  
Height min 57cm max 85cm  
Width 8,5cm  
Weight 4,1kg  
Material Stainless steel, Aluminum



## Safety Side Rails, pairs

Safety side rails are designed for supporting a patient on an operating/treatment table or trolley. They can easily be folded down and when folded to upright position they locks automatic.

Length: 616 mm  
Height (without the clamp part): 289 mm

Made in stainless steel, sold in pairs.  
Available for UK & US side rail.

Option: Safety Cover, 10-531-H (sold in pcs)

Part no 10-531  
Length 930mm  
Height 370mm  
Width 40mm  
Weight 2,1 kg  
Material Stainless steel, Aluminium



## Widening Section, pair

This widening section is used to widen the back and seat sections of the operating table to accommodate larger patients. Material Stainless steel, Aluminium

### Widening section 240 mm, pair

Part no 10-421 (with cushion)  
 Part no 10-421-S (without cushion)  
 Length 240 mm  
 Height 85 mm  
 Width 125 mm  
 Weight 4,2 kg

### Widening Section 300 mm, pair

Part no 10-425 (With cushion)  
 Part no 10-425-S (without cushion)  
 Length 300 mm  
 Height 85 mm  
 Width 125 mm  
 Weight 2,9 kg

### Widening Section 445 mm, pair

Part no 10-422 (with cushion)  
 Part no 10-422-S (Without cushion)  
 Length 455 mm  
 Height 85 mm  
 Width 125 mm  
 Weight 4,3 kg

### Widening Section 500 mm, pair

Part no 10-423 (with cushion) (st)  
 Part no 10-423-S (without cushion) (pair)  
 Length 500 mm  
 Height 85 mm  
 Width 125 mm  
 Weight 4,9 kg

# MISCELLANEOUS ACCESSORIES

Surgical accessories from Reison provide surgical teams increased productivity and ideal surgical site access while also promoting patient safety.





### Transport Handles with ball joint

Transport handles/pair, supposed to be attached to the 25×10 mm accessory side rail.

10-457-UK for UK accessory rail.

Part no 10-457  
 Length 11 cm  
 Height 27 cm  
 Width 5 cm  
 Weight 1,1 kg  
 Material Stainless steel



### Transport Handles, extra long

The transport handle is intended to be fixed to the back section of an operating table when the operating table is to be moved with or without patient.

The idea is to avoid moving the table using the head rest as transport handle.

The transport handles shall be hooked from the upper side of the accessory rail of the back section and be locked by tightening the locking handles.

Part no 10-458  
 Length 40 cm  
 Height 15 cm  
 Width 4 cm  
 Weight 2,8 kg  
 Material Stainless steel



### Transport Handles, facing downwards

Transport handles/pair, facing downwards, supposed to be attached to 25×10 mm accessory siderail.

Part no 10-455  
 Length 27cm  
 Height 14 cm  
 Width 7,5 cm  
 Weight 1,9 kg  
 Material Stainless steel



### Transport Handles, facing upwards

Transport handles/pair, facing upwards, supposed to be attached to the 25×10 mm accessory side rail.

Part no 10-456  
 Length 16 cm  
 Height 22 cm  
 Width 8 cm  
 Weight 1,9 kg  
 Material Stainless steel



## Anesthesia Frame Carbon Fibre

Light weight Anesthesia frame in Carbon fibre with extension arms included. Telescopic with clamp, 10-307. The inner part of the lower extension arm is shaped as a carrying handle for transportation.

Swivelling extension arms kept in place by friction. Telescopic height adjustable.

Part no 10-313 (For UK and US rail, 10-313-UK,10-313-US.)  
 Length 160 cm  
 Height min 52cm max 87cm  
 Weight 2,6 kg  
 Material Carbon fiber, Stainless steel, Aluminum, Brass

Fastening rail (EUR): 10-313  
 Fastening rail (US): 10-313-US  
 Fastening rail (UK): 10-313-UK



## Anesthesia Frame flexible with clamps

Anesthesia frame, flexible including 'Hook on clamp' (25×10 mm). The standard length including the pins is 180cm (can also be made in 140 cm) 10-311-US (US clamp) 10-311-UK (UK clamp).

Part no 10-311  
 Length 180 cm  
 Weight 3 kg

Fastening rail (EUR): 10-311  
 Fastening rail (US): 10-311-US  
 Fastening rail (UK): 10-311-UK



## Anesthesia Frame flexible without clamps

Flexible Anesthesia frame without any clamps. Diameter of fittings (for clamp) is 16 mm. 10-311-16 length = 140 cm (pins excl.) Pins 30 cm, which make the frame adjustable from 140–190 cm.

Recommended Clamps: 10-301

Part no 10-311-16  
 Length 200cm  
 Weight 2,3 kg



## Anesthesia Screen

Anesthesia Screen, telescopic with a rotatable 'hook on' clamp 10-307. Extension arms 10-315 is optional. Clamp for US (10-310-US) and UK (10-310-UK) accessory siderail is also available.

Part no 10-310  
 Length 600 mm  
 Height min 530mm max 780mm  
 Width 55 mm  
 Weight 2,1 kg  
 Material Stainless steel, Aluminum, Brass

Fastening rail (EUR): 10-310



## Extension Arm

Extension Arm(s) for Anesthesia Frame 10-310.

Sold in pcs.

Part no 10-315  
 Length 54 cm  
 Height 5 cm  
 Width 2,5 cm  
 Weight 0,4 kg  
 Material Stainless steel, plastic



## Extension Rail

Extension rail 25×10 mm, sold in pairs. The extension rails can be attached to EUR, UK or US accessory rail.

Rail length = 225 mm

Part no 10-491  
 Length 28 cm  
 Height 9 cm  
 Width 4 cm  
 Weight 2,1 kg  
 Material Steel, Stainless steel

Fastening rail (EUR): 10-491  
 Fastening rail (US): 10-491-UK



## Extension Rail long

Extension rail 25×10 mm, sold in pairs. The extension rails can be attached to EUR, UK or US accessory rail.

Rail length = 500 mm

Part no 10-491-L  
 Length 50 cm  
 Height 9 cm  
 Width 4 cm  
 Weight 2,1 kg  
 Material Steel, Stainless steel



## Hernia Bridge

Hernia bridge with crank operated elevation. Adjustable width (490-550 mm) to fit various Operating Tables.

The Hernia bridge is in the same performance as the Kidney elevator, with a difference in the plate.

Cushions are included.

Part no 10-485  
 Length 55 cm  
 Height 15-27 cm  
 Width 57 cm  
 Weight 7,7 kg  
 Material Stainless steel, Steel, Antistatic Foam.



## Infusion Stand

One hand operated release and locking. "Hook on" clamp 10-307 included. Available with US and UK clamp: 10-402-US, 10-402-UK.

Part no 10-402  
 Height 94,5-149 cm  
 Width 6,5 cm  
 Weight 2,4 kg  
 Material Stainelss steel, Plastic

Fastening rail (EUR): 10-402  
 Fastening rail (US): 10-402-US  
 Fastening rail (UK): 10-402-UK



## Infusion Stand Rotatable Clamp

Infusion stand with Reison rotatable "hook on" clamp 10-307, with easy locking!

Available with  
 US clamp 10-400-US.  
 UK clamp 10-400-UK.

Part no 10-400  
 Height 105-155cm  
 Width 24 cm  
 Weight 2,45 kg  
 Material Stainless steel, Aluminum, Brass

Fastening rail (EUR): 10-400  
 Fastening rail (US): 10-400-US  
 Fastening rail (UK): 10-400-UK



## Infusion Stand upright

Infusion stand, up right with "hook on" clamp.

Available with:  
 US clamp: 10-401-US  
 UK clamp: 10-401-UK

Part no 10-401  
 Height 105-155cm  
 Width 24 cm  
 Weight 2 kg  
 Material Stainless steel, Alunimum

Fastening rail (EUR): 10-401  
 Fastening rail (US): 10-401-US  
 Fastening rail (UK): 10-401-UK



## Kidney elevator

Back & Kidney elevator with crank operated elevation.

Adjustable width (490-550 mm) to fit various Operating Tables.

Part no 10-480  
 Height min 8cm max19cm  
 Width min 50,5cm max 56,5cm  
 Weight 7,4 kg  
 Material Stainless steel, Steel, PP Copolymer





## Proctology attachment

The proctology attachment is made to support a kneeling patient for surgical treatment in the patient's backbone.

The lower support is for the knees, the upper support is for the abdomen, and the chest will be resting on the operating table.

Part no 11233  
 Length 37 cm  
 Height 49-69 cm  
 Width 50 cm  
 Weight 16 kg  
 Material Stainless steel, Aluminum, Antistatic fabric, Foam, Slow recovery



## Robot Shield

The Robot shield is intended to protect the head of the patient against collisions with the arm of the robot.

In the horizontal plane the shield can be positioned in desired angle by means of a gear pivot in steps of 10°.

Part no 10-316  
 Length 35cm  
 Height 66 cm  
 Width 6,5 cm  
 Weight 4,8 kg  
 Material Stainless steel, PC High viscosity



## Surgeon's Step

The surgeon's step is intended to be used for better access in the operation area.

Standard measure 60x40x12 cm.

The surgeon's step is made from stainless steel and have a non-slip area to stand on.

Part no 10-001  
 Length 60cm  
 Height 10-20 cm  
 Width 40 cm  
 Weight 6,75-7,5kg  
 Material Stainless steel



## Tonsil Frame

The tonsil frame is made for keeping the patients mouth open during tonsil surgery by means of a hook in the lower jaw of the patient and another hook on the frame.

Reison's popular 10-307 clamp is included in the frame.

Part no 10-314  
 Height 56 cm  
 Width 56,5cm  
 Weight 3,5 cm  
 Material Stainless steel, Aluminum



### Traction Device

This traction device is made for use together with a hand traction device model "Weinberger", when a patient with broken wrist or forearm shall be treated. The traction device is to be attached into the square tube frame of the arm & hand operating table and the "Weinberger unit shall be mounted on the short rail on the ball joint.

Part no:	10-392
Length:	470 - 670 mm
Height:	310 mm
Width:	21,5 cm
Weight:	2,5 Kg
Height adjustment	190 mm
Safe working load	25kg
Max patient weight	250kg

# TUBE HOLDERS

The purpose of tube holders is to facilitate operations by collecting tubes and cables so that they are not in the way. This results in reduced risk of tripping or getting caught in cables or tubes and minimizes risk of dropping important instruments.





## Tube Holder Easy

Tube holder Easy is a smart and flexible tube holder for a small number of cables. It is made of a durable PMMA plastic, and bent at a 90° angle.

The tube holder has sockets for cables at both ends with the dimensions  $\varnothing 8$ ,  $\varnothing 20$  and  $\varnothing 30$ . The sides are in different lengths to allow different heights of the holder. The holder is placed under the mattress of the operating table.

Dimensions: 370 x 185 x 250 mm

Part no 10-612  
Weight 0.5 kg  
Safe working load 1 kg



## Tube Holder Small

Tube Holder Small is a flexible and agile model with a short flexible arm that can be adjusted to different angles and which is suitable for situations where you need to collect a few smaller cables/tubes.

This tube holder has an angled plate and is provided with a smaller round "flower" that is suitable for smaller to medium-sized tubes/cables with dimensions  $\varnothing 3$ ,  $\varnothing 6$ ,  $\varnothing 14$ ,  $\varnothing 16$ ,  $\varnothing 17$  and  $\varnothing 18$ . The plate and the "flower" are made of a durable PMMA plastic. The plate is placed under the mattress of the operating table.

Dimensions plate: 121x80x230 mm  
Length of flex arm: 30 cm

Part no 10-610  
Weight 0.3 kg  
Safe working load 0,1 kg



## Tube Holder Large

Tube holder Large is a flexible and smooth model with a larger and longer flexible arm that is easy to adjust to different angles.

The model is suitable for operations where you need to collect many cables in different sizes. The tube holder has a straight plate, and a larger "flower" with sockets for tubes from small and medium to slightly larger dimensions  $\varnothing 3$ ,  $\varnothing 4.5$ ,  $\varnothing 6$ ,  $\varnothing 17$ ,  $\varnothing 18$ ,  $\varnothing 19$ ,  $\varnothing 22$ ,  $\varnothing 24$  and  $\varnothing 31$ .

The plate and flower are made of a durable PMMA plastic. The plate is easily placed under the mattress of the operating table.

Dimensions plate: 5x150x380 mm  
Length of flex arm: 43 cm

Part no 10-611  
Weight 0.5 kg  
Safe working load 0,2 kg



## Tube Holder Robust

Tube holder Robust is Reison Medical's most durable tube holder. The long flex arm is steplessly adjustable and the lower part is easily locked in a clamp which can be raised and lowered.

The tube holder is easily attached to the accessory rail with the Reison signature "hook-on" clamp and is suitable for situations where you need to collect many Tubes in one place. In cases where you can not place the tube holder under the mattress, this is the perfect choice!


It is very easy to keep clean thanks to smooth surfaces. The "flower" which is made of PMMA plastic is extra strong and provides sockets for tubes with dimensions  $\varnothing 3$ ,  $\varnothing 4.5$ ,  $\varnothing 6$ ,  $\varnothing 17$ ,  $\varnothing 18$ ,  $\varnothing 19$ ,  $\varnothing 22$ ,  $\varnothing 24$  and  $\varnothing 31$ .


Dimensions: 610 x 110 x 120 mm  
Length of flex arm: 61 cm

Part no 10-613-EU, 10-613-UK, 10-613-US.  
Weight 1,3 kg  
Safe working load 1 kg

## DRY SYSTEM

Our Dry System of ultra-absorbent pads and highly absorbent mats are used during operations to easily and smoothly absorb water-based fluids, blood and urine. They simplify work around the operating table, improves hygiene and ensures quick cleaning of the operating room.





## Highly absorbing floor mat – Small

This highly absorbing floor mat quickly absorb liquid during operations which simplifies the work around the operating table, reduces the risk of slipping and makes cleaning of the operating room much faster.

The blue anti-slip plastic makes sure the mat is kept in place on the floor below the operating table, sink or other places where liquid is present in the operating room. The mat is possible to stand on and put a chair on. To be placed on a dry floor. Treat as clinical waste, combustion forms carbon dioxide and water.

Part no	10-720
Pieces per box	20
Absorbing water-based fluids	3,6 Liters
Width	75 cm
Height	120 cm
Material	Cellulose

## Highly absorbing floor mat – Large

This highly absorbing floor mat quickly absorb liquid during operations which simplifies the work around the operating table, reduces the risk of slipping and makes cleaning of the operating room much faster.

The blue anti-slip plastic makes sure the mat is kept in place on the floor below the operating table, sink or other places where liquid is present in the operating room. The mat is possible to stand on and put a chair on. To be placed on a dry floor. Treat as clinical waste, combustion forms carbon dioxide and water.

Part no	10-722
Pieces per box	11
Absorbing water-based fluids	6 Liters
Width	75 cm
Height	200 cm
Material	Cellulose



## Ultra-absorbing pad – Small

This ultra-absorbent pad is designed to be used on the floor around the operating table. It is used during operations to easily and smoothly absorb water-based fluids, blood and urine.

The pads can absorb very large amounts of fluid without dripping, which facilitates the work around the operating table. The cleaning of the operating room also becomes much easier and much faster when using the pads.

These Pads are disposable products that easily is replaced and discarded when full.

Part Number	10-710
Pieces per box	200
Absorbing water	4,5 Liters
Absorbing NaCl 0,9%	1,5 Liters
Width	37 cm
Height	37 cm
Material	Cellulose / Polyacrylate

## Ultra-absorbing pad – Small

This ultra-absorbent pad is designed to be used on the floor around the operating table. It is used during operations to easily and smoothly absorb water-based fluids, blood and urine.

The pads can absorb very large amounts of fluid without dripping, which facilitates the work around the operating table. The cleaning of the operating room also becomes much easier and much faster when using the pads.

These Pads are disposable products that easily is replaced and discarded when full.

Part Number	10-711
Pieces per box	100
Absorbing water	9 Liters
Absorbing NaCl 0,9%	3,5 Liters
Width	37 cm
Height	70 cm
Material	Cellulose / Polyacrylate

*Note: The products are not classified as Medical Device and are not intended for patient contact. The products are not CE-certified.*





REISON MEDICAL AB  
Eriksbergsvägen 32A  
734 92 Hallstahammar

[order@reison.se](mailto:order@reison.se)  
+46 220-433 99  
[www.reison.se](http://www.reison.se)